

Material Safety Data Sheet

WHMIS (Pictograms)

WHMIS (Classification)

HCS





WHMIS CLASS D-1: Material causing immediate and serious toxic effects. WHMIS Class E: Corrosive liquid.

HCS CLASS: Corrosive liquid.

Section 1. Chemical Product and Company Identification			
Product Name/ Trade name	Bol Maid	Code	72
Synonym	Disinfectant Cleaner for Porcelain/Toilet Bowls/Urinals	CAS#	Not applicable.
Chemical Family	Not available.	Validation Da	ite 1/30/2003
Chemical Formula	Not applicable.	Print Date	3/10/2003
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 (419) 241-2156	In Case of Emergency	Chemtrec (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.		
DSL	DSL: All components listed unless noted elsewhere on this MSDS		Protective Clothing

Section 2. Composition and Information on Ingredients				
Name	CAS#	% by Weight	Exposure Limits	$\mathrm{LC}_{50}/\mathrm{LD}_{50}$
1) Water	7732-18-5	0-100	Not available.	Not available.
2) Hydrochloric Acid	7647-01-0	9	STEL: 5	Not available.
3) Nonionic Surfactant	9016-45-9	0-5	Not available.	Not available.
4) Perfume Oil	119-36-8	0-5	Not available.	Not available.
5) Acrylic Emulsion	N/A	0-5	Not available.	Not available.
6) Nonionic Surfactant	61788-90-7	0-5	Not available.	ORAL (LD50): Acute: 4610
				mg/kg [Rat].
7) Nonionic Surfactant	66455-15-0	0-5	Not available.	Not available.
8) Amphoteric Surfactant	68298-20-4	0-5	Not available.	Not available.
9) Dye	N/A	0-5	Not available.	Not available.
10) Quaternary Ammonium Chloride	68424-95-3	0.05	Not available.	Not available.

Section 3. Hazards Identification

Potential Acute Health Effects Corrosive to skin and eyes on contact. Liquid or spray mist may produce tissue damage particularly on

mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking,

or shortness of breath. Severe over-exposure can result in death.

Potential Chronic Health

Effects

Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin

irritation.

Carcinogenic Effects Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Section 4. First	t Aid Measures
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.
Skin Contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Have conscious person drink egg whites, gelatin solution, or if these are not available drink large quantities of water. Seek immediate medical attention.

Section 5. Fire Fighting Measures	
Products of Combustion	Not available.
Fire Fighting Media and Instructions	N/A
Special Remarks on Fire Hazards	N/A
Special Remarks on Explosion Hazards	N/A

Section 6. Accidental Release Measures		
Small Spill and Leak	Chemical anti-splash goggles.	
Large Spill and Leak	Absorb with an inert material and put the spilled material in an appropriate waste disposal.	
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.	

Section 7. Hand	lling and Storage
Precautions	Keep locked up. Keep container dry. Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. DO NOT ingest. Do not breathe gas, fumes, vapor or spray. Never add water to this product. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label.
Incompatibility	Strong alkalis, most metals, bleach.
Storage	Corrosive materials should be stored in a separate safety storage cabinet or room. Keep out of the reach of children. Not for use or storage in or around the home.

Section 8. Exposure	Controls/Personal Protection
Engineering Controls	Good general ventilation should be sufficient to control airborne levels.
Personal Protection	
Eyes	s Splash goggles.
Body	,
Respiratory	Wear appropriate respirator when ventilation is inadequate.
Hands	Gloves (impervious).
Protective Clothing (Pictograms)	
Exposure Limits	Not available.

Section 9. Physical a	nd Chemical Properties		
Physical State and Appearance	Liquid.	Odor	Pleasant. (Strong.)
Molecular Weight	Not applicable.	Taste	Not available.
рН	<1.5 [Acidic.]	Color	Milky Blue
Boiling/Condensation Point	214°F initial		
Melting/Freezing Point	Not available.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	1.04 (Water = 1)		
Vapor Pressure	25mm Hg @ 68°F		
Vapor Density	>1 (Air = 1)		
Volatility	95		
voc	Not available.		
Evaporation Rate	<1		
Dispersion Properties	See solubility in water.		
Solubility	Easily soluble in cold water.		
The Product is:	May be combustible at high temperature.		
Auto-ignition Temperature	Not available.		
Flash Points	Not available.		
Flammable Limits	Not available.		
Fire Hazards in Presence of Various Substances	No specific information is available in our of presence of various materials.	atabase re	garding the flammability of this product in
Explosion Hazards in Presence of Various Substances	Not applicable		

Section 10. Stability and Reactivity Data	
Stability	The product is stable.
Incompatibility with Various Substances	Strong alkalis, most metals, bleach.
Hazardous Decomposition Products	Will not occur.

Section 11. Toxicological Information		
Routes of Entry	Absorbed through skin. Eye contact. Inhalation. Ingestion.	
Toxicity to Animals	Acute oral toxicity (LD50): 4610 mg/kg [Rat]. (Nonionic Surfactant).	
Acute Effects on Humans		
Eyes	Very hazardous in case of eye contact (corrosive).	
Skin	Very hazardous in case of skin contact (corrosive). Skin contact may produce burns.	
Inhalation	Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract.	
Ingestion	Very hazardous in case of ingestion. May be fatal if swallowed. May cause burns to mouth, throat, and stomach.	
Chronic Effects on Humans	Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation.	
Special Remarks on Toxicity to Animals	No additional remark.	
Special Remarks on Chronic Effects on Humans	No additional remark.	

Section 12. Ecological Information		
Ecotoxicity	Not available.	
BOD5 and COD	Not available.	
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.	
Toxicity of the Products of Biodegradation	Not available.	
Special Remarks on the Products of Biodegradation	No additional remark.	

Section 13. Disposal Considerations	
Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
Waste Stream	Not available.

Section 14. Transport Information

DOT (U.S.A) (Pictograms)



TDG Classification Class 8: Corrosive material



PIN UN, Proper Shipping Shipping n

Name, PG

Shipping name: CORROSIVE LIQUIDS, N.O.S. UNNA: UN1760 PG: II

Maritime Transportation Not available.

Not available.

WHMIS (Classification)	WHMIS CLASS D-1: Material causing immediate and serious toxic effects. WHMIS Class E: Corrosive liquid.		
Regulatory Lists	No products were found.		
Other Regulations	OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).		
Other Classifications	HCS (U.S.A.) USA Regulatory	HCS CLASS: Corrosive liquid.	
	Lists		
		SARA 311/312 MSDS distribution - chel	mical inventory - hazard identification:
		Hydrochloric Acid	
	DSD (EEC)	R35- Causes severe burns.	
	DSD (EEC) International Regulations Lists	•	
Hazardous Material Information System (U.S.A.)	International	R35- Causes severe burns.	Flammability Reactivity

Validated by CRushton on 1/30/2003.		Verified by CRushton.	
		Printed 3/10/2003.	
Information Contact	Betco Corporation 1001 Brown Avenue		
	Toledo, Ohio 43607		

for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although

certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Page: 5/5 Validated on 1/30/2003. **Bol Maid**

Continued on Next Page