

OWENS-CORNING WORLD HEADQUARTE -- GLASS-PLUS

=====
MSDS Safety Information
=====

FSC: 6850
MSDS Date: 11/07/1994
MSDS Num: BYQXN
LIIN: 00F046207
Product ID: GLASS-PLUS
MFN: 01
Responsible Party
Cage: FO654
Name: OWENS-CORNING WORLD HEADQUARTERS
Address: FIBERGLAS TOWER-T/11
City: TOLEDO OH 43659-5000
Info Phone Number: 419-248-8234/706-594-6977
Emergency Phone Number: 419-248-5330/419-248-8234
Review Ind: Y
Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: FO654
Assigned Ind: Y
Name: OWENS-CORNING WORLD HEADQUARTERS
Address: FIBERGLAS TOWER-T/11
City: TOLEDO OH 43659-5000

=====
Contractor Summary
=====

Cage: FO654
Name: OWENS-CORNING WORLD HEADQUARTERS
Address: FIBERGLAS TOWER-T/11
City: TOLEDO OH 43659-5000
Phone: 419-248-8234/706-594-6977
Cage: 45255
Name: OWENS-CORNING, WORLD HEADQUARTERS
Address: ONE OWENS CORNING PARKWAY
City: TOLEDO OH 43659
Phone: 419-248-8234

=====
Ingredients
=====

Cas: 50-00-0
RTECS #: LP8925000
Name: FORMALDEHYDE, FORMALIN (SUSPECTED HUMAN CARCINOGEN BY IARC; ACGIH;
SUSPECTED CARCINOGEN BY NTP; IARC - GROUP 2A) *97-2*
% Wt: <0.1

ACGIH TLV: 0.37 MG/CUM IC (2A)
EPA Rpt Qty: 100 LBS
DOT Rpt Qty: 100 LBS

Cas: 65997-17-3
Name: GLASS OXIDE, FIBER GLASS WOOL, LEAD BOROSILICATE GLASS ENAMEL FLUX
% Wt: 85-96

Cas: 25104-55-6
Name: PHENOL, UREA, FORMALDEHYDE RESIN
% Wt: 4-15

=====
Health Hazards Data