

Regulation Resource Site

On-Line Catalog | Site Home | MSDS | CFR | Safety Resources | Safety News

MSDS Database

Search Resource Site

Most Popular
in Hazard Marking

- ▶ [Chemical Hazard Label Kits](#)
- ▶ [Diamond Panel Kits](#)
- ▶ [Diamond Panels - Do-It-Yourself](#)
- ▶ [Panel Characters - Die-Cut](#)
- ▶ [Chemical Hazard Labels](#)

Fast Find

- ▶ [Confined Space Checklist](#)
- ▶ [Lockout Checklist](#)
- ▶ [CFR - 1910 L](#)
- ▶ [Fire Protection](#)
- ▶ [Asbestos Fact Sheet](#)
- ▶ [Traffic Signs](#)
- ▶ [Parking Signs](#)
- ▶ [Industrial Signs](#)
- ▶ [Tags](#)

Material Safety Data Sheet

Name QUICKSILVER TCWIII 2 CYCLE OIL
Company MERCURY MARINE

MSDS bxlqz
FSC 9150

MSDS Safety Information

FSC: 9150
MSDS Date: 10/27/1992
MSDS Num: BXLQZ
LIIN: 00F040470
Product ID: QUICKSILVER TCWIII 2 CYCLE OIL
MFN: 01
Responsible Party
Cage: 88907
Name: MERCURY MARINE
Address: W6250 W PIONEER RD
Box: 1939
City: FOND DU LAC WI 54936-1939
Info Phone Number: 414-929-5418
Emergency Phone Number: 414-929-5418
Review Ind: Y
Published: Y

Preparer Co. when other than Responsible Party Co.

Cage: 88907
Name: MERCURY MARINE
Address: W6250 WEST PIONEER RD
Box: 1939
City: FOND DU LAC WI 54936-1939

Contractor Summary

Cage: 88907
Name: MERCURY MARINE
Address: W6250 WEST PIONEER RD
Box: 1939
City: FOND DU LAC WI 54936-1939
Phone: 920-929-5418; 920-929-5000

Ingredients

Cas: 64741-88-4
RTECS #: PY8040500
Name: MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-REFINED HEAVY PARAFFINIC, LUBRICATING OIL BASE STOCK
% Wt: 50-70
OSHA PEL: 5 MG/CUM
ACGIH TLV: 5 MG/CUM

Cas: 64742-01-4
Name: SOLVENT-REFINED RESIDUUM, REFINED PETROLEUM OILS *95-1*
% Wt: 50-70

Cas: 64742-88-7
Name: MEDIUM ALIPHATIC NAPHTHA (AROMATIC 100), PARAFFIN-NAPHTHANES MINERAL



SPIRITS

% Wt: ANDlt;25
Other REC Limits: 100 PPM
OSHA PEL: 500 PPM
ACGIH TLV: 100 PPM

Name: DISPERSANT ANDamp; ANTI-OXIDANT ADDITIVE PACKAGE
% Wt: ANDlt;20

Name: POUR POINT DEPRESSANT
% Wt: ANDlt;1

Name: DYE
% Wt: ANDlt;0.1

Health Hazards Data

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: SKIN: PROLONGED/FREQUENT CONTACT MAY CAUSE DERMATITIS
ANDamp; FOLLICULITIS. INHALATION: REPEATED EXPOSURE TO MISTS/FUMES MAY INDUCE
PULMONARY IRRITATION/CHRONIC BRONCHITIS. MISTS ANDgt; TLV MAY CAUSE CHEMICAL PN
EUMONITIS. EYES: MILDLY IRRITATING. INGESTION: ASPIRATION INTO LUNGS.
IRRITATION.

Explanation Of Carcinogenicity: NONE

Signs And Symptions Of Overexposure: IRRITATION, DRYING, CRACKING, DROWSINESS,
HEADACHE, NAUSEA, GI DISCOMFORT, DIARRHEA.

Medical Cond Aggravated By Exposure: NONE

First Aid: INHALATION: REMOVE TO FRESH AIR. GIVE RESPIRATORY SUPPORT IF NEEDED.

SKIN: WASH W/SOAP ANDamp; WATER. EYES: FLUSH W/LARGE VOLUMES OF WATER.

INGESTION: DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Handling and Disposal

Spill Release Procedures: REMOVE SOURCES OF HEAT/IGNITON. PROVIDE ADEQUATE
VENTILATION. CONTAIN LEAK. SMALL: ABSORB W/SUITABLE MATERIAL SUCH AS
RAGS/STRAW/SAND. LARGE: CONTAIN IN EARTHEN DIKES FOR LATER RECOVERY.

Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE ANDamp; LOCAL REGULATIONS.

Handling And Storage Precautions: STORE ANDlt;150F. DON'T APPLY HIGH HEAT/FLAME
TO CONTAINER. KEEP SEPARATE FROM STRONG OXIDIZING AGENTS.

Other Precautions: EMPTY CONTAINERS MAY CONTAIN PRODUCT RESIDUE WHICH COULD
INCLUDE FLAMMABLE/EXPLOSIVE VAPORS. KEEP AWAY FROM CHILDREN!

Fire and Explosion Hazard Information

Flash Point Method: COC

Flash Point Text: 185F

Lower Limits: 1

Upper Limits: 6

Extinguishing Media: CO2, DRY CHEMICAL, FOAM, WATER FOG

Fire Fighting Procedures: NONE

Unusual Fire/Explosion Hazard: WATER MAY CAUSE FROTHING.

Control Measures

Respiratory Protection: IF HIGH VAPOR/MIST CONCENTRATIONS EXPECTED, USE
RESPIRATOR APPROVED FOR ORGANIC VAPORS ANDamp; MISTS.

Ventilation: LOCAL EXHAUST/MECHANICAL (GENERAL): IN CONFINED SPACE, MECHANICAL
VENTILATION MAY BE REQUIRED TO KEEP LEVELS ANDlt; STANDARD.

Protective Gloves: OIL IMPERVIOUS

Eye Protection: SAFETY GOGGLES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment: WEAR BODY COVERING WORK CLOTHES.

Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.
ALWAYS FOLLOW GOOD HOUSEKEEPING AND PERSONAL HYGIENE PRACTICS.

Physical/Chemical Properties

B.P. Text: ANDgt;300F
Vapor Density: ANDgt;1
Spec Gravity: 0.86
Solubility in Water: NEGLIGIBLE
Appearance and Odor: BLUE LIQUID W/SLIGHT ODOR OF PETROLEUM DISTILLATE

Reactivity Data

Stability Indicator: YES
Stability Condition To Avoid: TEMPS
Materials To Avoid: STRONG OXIDANTS
Hazardous Decomposition Products: CO2, CO
Hazardous Polymerization Indicator: NO

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

HAZCOM Label

Product ID: QUICKSILVER TCWIII 2 CYCLE OIL
Cage: 88907
Company Name: MERCURY MARINE
Street: W6250 WEST PIONEER RD
PO Box: 1939
City: FOND DU LAC WI
Zipcode: 54936-1939
Health Emergency Phone: 414-929-5418
Label Required IND: Y
Date Of Label Review: 12/16/1998
Status Code: C
Label Date: 12/16/1998
Origination Code: G
Hazard And Precautions: SKIN: PROLONGED/FREQUENT CONTACT MAY CAUSE DERMATITIS
ANDamp; FOLLICULITIS. INHALATION: REPEATED EXPOSURE TO MISTS/FUMES MAY INDUCE
PULMONARY IRRITATION/CHRONIC BRONCHITIS. MISTS ANDgt; TLV MAY CAUSE CHEMICAL PN
EUMONITIS. EYES: MILDLY IRRITATING. INGESTION: ASPIRATION INTO LUNGS.
IRRITATION. IRRITATION, DRYING,
CRACKING, DROWSINESS, HEADACHE, NAUSEA, GI DISCOMFORT, DIARR HEA.

Disclaimer

(provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department

of Defense or other government situation.

[About](#) | [Contact emedco](#) | [Catalog Request](#)
[Jobs](#) | [Links](#) | [Privacy Statement](#)

©Copyright 2003 emedco
800-442-3633, 716-626-1616
FAX 800-344-2578, 716-626-1630
All rights reserved