

SNAP PRODUCTS INC -- HEAVY DUTY BRAKE FLUID, S 262

=====

MSDS Safety Information

=====

FSC: 9150  
MSDS Date: 10/28/1994  
MSDS Num: CDKYQ  
LIIN: 00N051646  
Product ID: HEAVY DUTY BRAKE FLUID, S 262  
MFN: 02

Responsible Party  
Cage: GO732  
Name: SNAP PRODUCTS INC  
Address: 501 SOUTH BASINGER RD  
City: PANDORA OH 45877  
Info Phone Number: 419-384-3241  
Emergency Phone Number: 800-424-9300 (CHEMTREC)  
Preparer's Name: DINESH J PAREKH  
Proprietary Ind: Y  
Published: Y

=====

Contractor Summary

=====

Cage: 74438  
Name: NATIONWIDE INDUSTRIES CORP  
Address: 501 S BASINGER RD  
City: PANDORA OH 45877-9749  
Phone: UNKNOWN  
Cage: GO732  
Name: SNAP PRODUCTS INC  
Address: 501 SOUTH BASINGER ROAD  
City: PANDORA OH 45877-5000  
Phone: 419-384-3241

=====

Ingredients

=====

Name: \*\*\* PROPRIETARY \*\*\*

-----

=====

Health Hazards Data

=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.  
Route Of Entry Inds - Inhalation: NO  
Skin: YES  
Ingestion: NO  
Carcinogenicity Inds - NTP: NO  
IARC: NO  
OSHA: NO

Effects of Exposure: ACUTE: EYES/SKIN CONTACT: MAY CAUSE IRRITATION. SKIN ABSORPTION: NONE. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation Of Carcinogenicity: NOT RELEVANT.

Signs And Symptions Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure: NONE KNOWN.

First Aid: EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. CONTACT MD. SKIN: WASH WITH WATER AND MILD SOAP. REMOVE CONTAMINATED CLOTHING. INHALATION: REMOVE TO FRESH AIR AND CALL MD. INGESTION: DO NOT INDUCE VOM ITING. GIVE TWO GLASSES OF WATER. CALL MD.

=====  
Handling and Disposal  
=====

Spill Release Procedures: REMOVE IGNIT SOURCES. STOP RELEASE OF OIL. SML SPILLS CAN BE RECOVERED BY MOPPING OR W/INERT ABSORB MATL. DIKE UP LGE SPILLS & PUMP INTO LGE SALVAGE TANK. REMAINING LIQ CAN BE TAKEN UP BY INERT ABSORB MATL & SHOVELED INTO SUITABLE DISP (SUP DAT)

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Handling And Storage Precautions: KEEP AWAY FROM STRONG OXIDIZING AGENTS AND EXTREME HEAT IN EXCESS OF 300C.

Other Precautions: ONCE EMPTIED, CONTAINERS RETAIN PRODUCT RESIDUE. FOLLOW PRODUCT LABEL WARNING EVEN AFTER CONTAINER IS EMPTIED.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: TOC

Flash Point Text: 270F,132C

Extinguishing Media: WATER FOG, STANDARD FOAM, DRY CHEMICAL, CARBON DIOXIDE.

Fire Fighting Procedures: WEAR NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N).

Unusual Fire/Explosion Hazard: NONE KNOWN.

=====  
Control Measures  
=====

Respiratory Protection: USE NIOSH APPROVED RESPIRATOR FOR ORGANIC VAPORS IF NEEDED.

Ventilation: GENERAL VENTILATION: SUFFICIENT. LOCAL EXHAUST: RECOMMENDED.

Protective Gloves: IMPERVIOUS GLOVES (FP N).

Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES (FP N).

Other Protective Equipment: EMERGENCY EYEWASH AND DELUGE SHOWER MEETING ANSI DESIGN CRITERIA (FP N).

Work Hygienic Practices: GOOD HYGIENE PRACTICE SHOULD BE FOLLOWED WHICH MINIMIZES SKIN CONTACT.

Supplemental Safety and Health: SPEC GRAV: 1.038-1.04 (H\*20=1). SPILL PROC: CONTRS. AVOID MATL ENTERING SEWERS.

=====  
Physical/Chemical Properties

=====

B.P. Text: >460F,>238C  
Vapor Pres: <0.1  
Spec Gravity: SUP DAT  
Evaporation Rate & Reference: NEGLIGIBLE  
Solubility in Water: COMPLETE  
Appearance and Odor: CLEAR, AMBER SEMI-VISCOUS LIQUID WITH SLIGHT ETHERIC ODOR  
Percent Volatiles by Volume: NEGLIG

=====

Reactivity Data

=====

Stability Indicator: YES  
Stability Condition To Avoid: AVOID TEMPERATURES IN EXCESS OF 300F.  
Materials To Avoid: AVOID CONTACT WITH STRONG OXIDIZING AGENTS.  
Hazardous Decomposition Products: COMBUSTION WILL PRODUCE CARBON DIOXIDE AND CARBON MONOXIDE.  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: NOT RELEVANT.

=====

Toxicological Information

=====

Ecological Information

=====

MSDS Transport Information

=====

Regulatory Information

=====

Other Information

=====

HAZCOM Label

=====

Product ID: HEAVY DUTY BRAKE FLUID, S 262  
Cage: GO732  
Assigned IND: Y  
Company Name: SNAP PRODUCTS INC  
Street: 501 SOUTH BASINGER ROAD  
City: PANDORA OH  
Zipcode: 45877-5000  
Health Emergency Phone: 800-424-9300 (CHEMTREC)  
Label Required IND: Y  
Date Of Label Review: 02/14/1997  
Status Code: C  
Label Date: 02/14/1997

Origination Code: G  
Eye Protection IND: YES  
Skin Protection IND: YES  
Signal Word: CAUTION  
Respiratory Protection IND: YES  
Health Hazard: None  
Contact Hazard: Slight  
Fire Hazard: Slight  
Reactivity Hazard: None  
Hazard And Precautions: ACUTE: EYES/SKIN CONTACT: MAY CAUSE IRRITATION. SKIN  
ABSORPTION: NONE. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.